

AMAZE
INVERTERS ⚡ BATTERIES

Contact us: Plot no.94, Sector-5, Pocket NI, Bawana, Delhi 110039

Customer Care:
99999 33039

Website:
www.amaze-india.com

Mail ID:
Care@Amaze-india.com

Subscribe to our channel



Youtube/Amaze



Facebook/Amaze



Instagram/Amaze



Amaze-india.com

INBT CATALOGUE/V3/JANUARY 2025

AMAZE
INVERTERS ⚡ BATTERIES

**HAMESHA
READY TO
PERFORM**

FAST CHARGING

**HEAVY
DUTY**



LONG LASTING

Product Catalogue
2025



Inverter

- AQ Series
- AQ Super Charge
- AN Series
- AN Star
- HKVA Series
- AN 3 Phase
- Eleverter

Battery

- Below 150 Ah Battery
- 150 Ah Battery
- Above 150 Ah Battery

Inverter Battery Trolley

- Trolley

Technical Specification

- Inverter
- Battery
- 3 Phase Inverter

AMAZE

HAMESHA READY TO PERFORM

Amaze is one of the best, youngest and fastest growing inverter and battery brand in India. The company offers an extensive range of inverters, batteries and solar products that are designed to withstand long and frequent power cuts. The company aims to provide high-performance and high-quality power back-up products to its customers through a wide network of distributors present across India.



Inverter

Amaze inverters are high quality power inverters designed to provide reliable and efficient power backup for homes and businesses.

Battery

Amaze batteries are known for their High Energy Density and low cost.

Trolley

Amaze inverter battery trolley are beautifully designed and made with durable and sturdy material.

Solar Panels

Amaze offers a range of both Mono PERC and Polycrystalline PV modules. Ranging from 40W to 370W, our panels comply with IEC standards and are suitable for a wide range of applications.

Inverter

AMS range is a solar inverter range that intelligently uses grid and solar power. With ability to operate in a wide voltage range, AMS is the ideal starter solar solution for homes.

Battery

Amaze Solar Batteries are BIS approved batteries specially designed for longer back up.

Experience hassle-free days with AMAZE Power Solutions. Our innovative and technologically advanced products are crafted with excellence and user convenience in mind. From Inverters to Inverter batteries, our wide range of offerings caters to all your needs. AMAZE inverters deliver high-quality, reliable, and efficient power backup for both homes and businesses. Our batteries are renowned for their high energy density and cost-effectiveness, ensuring uninterrupted power whenever you need it. Upgrade to AMAZE Power Solutions for a seamless experience.



Inverters

AMAZE

Amaze has high quality power inverters designed to provide reliable and efficient power backup for homes and businesses. With Amaze inverters, you can be assured of an uninterrupted power supply during power outages. Built with some fantastic features like overload and short circuit protection, Amaze inverters ensure that your appliances and devices are safe from damage. Choose Amaze for a hassle free and reliable backup solution, that exceed your expectation.



AQ Series

Power Packed Performer



AQ Series is a reliable and rugged inverter series with advanced microprocessor based design, fast battery charging, user friendly LED indications, battery selection switch for longer battery life and much more.



Modified Square Wave



Faster Battery Charging



Reliable Long-Lasting Performance



Battery Charging Starts from 100V

- AQ700+**
600 VA | 504 W | 12 V
- AQ900+**
800 VA | 672 W | 12 V
- AQ1075+**
900 VA | 756 W | 12 V
- AQ1275 PRO**
1100 VA | 924 W | 12 V
- AQ1675+**
1500 VA | 1260 W | 24 V
- AQ2375+**
2000 VA | 1680 W | 24 V

AQ Super Charge

The Fast Charging Inverter Series



AQ Super Charge is India's most trusted inverter series for rural and semiurban areas with inbuilt heavy duty charger that charges the battery with full charging current even at low voltage conditions.



Modified Square Wave



Faster Battery Charging



Express battery Charging Starts from 90V



Reliable long lasting performance

- AQ Super Charge 1175**
900 VA | 756 W | 12 V
- AQ Super Charge 1475**
1100 VA | 924 W | 12 V
- AQ Super Charge 1775**
1500 VA | 1260 W | 12 V

AN Series

Extra Power Extra Performance



AN series is a Pure Sine Wave inverter series with advanced microprocessor based design and lowvoltage fast battery charging technology. Its low harmonic distortion makes it practically noiseless and Pure Sine wave technology ensures protection of the connected appliances.



Pure Sine Wave



Faster Battery Charging



Reliable Long-Lasting Performance



Low voltage fast charging technology

- AN875+**
700 VA | 560 W | 12 V
- AN1075+**
900 VA | 756 W | 12 V
- AN1275 PRO**
1100 VA | 924 W | 12 V
- AN1575+**
1400 VA | 1176 W | 12 V
- AN1675+**
1500 VA | 1260 W | 24 V
- AN2275 PLUS**
2000 VA | 1680 W | 24 V

AN Star

Power Packed Performance Everyday



Amaze AN Star, a perfect solution for uninterrupted power supply. Say goodbye to frequent power outages and gift your homes and workplaces an inverter with the latest advanced features and better battery capacity from the House of Amaze.



Pure Sine Wave



Digital display with back-up & battery charging time



Main bypass switch in case of fault in equipment



Charging current selection

- AN STAR 1475**
1100 VA | 924 W | 12 V
- AN STAR 2375**
2000 VA | 1600 W | 24 V
- AN STAR 2875**
2500 VA | 2000 W | 24 V
- AN STAR 3575**
3000 VA | 2400 W | 24 V
- AN STAR 3875**
3500 VA | 2800 W | 36 V
- AN STAR 4575**
4000 VA | 2850 W | 48 V
- AN STAR 6075**
5000 VA | 4000 W | 48 V
- AN STAR 6575**
5500 VA | 3800 W | 72 V
- AN STAR 8075**
7500 VA | 6000 W | 96 V
- AN STAR 11075**
10000 VA | 8000 W | 120 V

HKVA Series

The Ultimate Power Machine



AN HKVA series is a heavyduty inverter designed to run heavy loads with ease. It's a Pure Sine Wave Technology inverter with advanced microcontroller design.

The LCD display shows important inverter battery performance statistics like charging time, backup time at current load, running load status and fault indications.



Pure Sine Wave



LCD Display



Protection Through AC/DC MCB



No Load Shut Down

AN5075+

4000 VA |
2850 W |
48 V

AN6075+


5500 VA |
3800 W |
72 V

AN9075+

7500 VA |
6000 W |
120 V

AN11075+

10000 VA |
8000 W |
180 V



3 Phase Inverters

Amaze offers a range of 3 phase high-capacity inverters that can power heavy-duty and sensitive appliance in commercial spaces. Enjoy superior power in various commercial establishment like hospitals, petrol pump, Large offices, ATM, banks and much more.



AMAZE

AN 3 Phase Series

Power that Drives your Business



AN HKVA Series, 3-Phase Inverters are engineered with cutting-edge technology, that adopts high-performance digital control (DSP) for superior efficiency and precision. These inverters offer robust protection features, advanced network management capabilities, and an intuitive user interface. Designed for exceptional reliability, safety, and ease of maintenance, the AN HKVA Series represents the next generation of power solutions.



Back-up time & battery charging time



3 Phase in
3 Phase out



MCB protection



Lithium-ion compatibility

AN HKVA
10.5KVA

120 V

AN HKVA
15KVA

180 V

AN HKVA
20-25KVA

240 V

AN HKVA
30-80KVA

360 V

AN HKVA
105-150KVA

480 V

AN HKVA
200-250KVA

672 V

Eleverter

Emergency Lift Operation by Alternative Power Source



During power transition from mains to backup system, there is a jerk in lifts which can be scary. Overcome this issue with the help of Amaze Eleverter and avoid the need to purchase the UPS systems anymore.

Eleverter provides a smooth transition with absolutely no jerk during the power transition and a seamless experience for people inside the lift. Now, the lifts are safer during the power failure with Amaze Lift Inverter range.



Jerk free operation



Remote monitoring



Regenerative power



Lithium-ion compatibility

ELEVERTER 5

6.6 KVA |
48 V

ELEVERTER 5.5

6.6 KVA |
72 V

ELEVERTER 8

10.1 KVA |
120 V

ELEVERTER 12

13.1 KVA |
180 V

ELEVERTER 15

17.5 KVA |
240 V

ELEVERTER 20

26 KVA |
240 V

ELEVERTER 30

35 KVA |
360 V

Batteries

Amaze batteries are known for their high energy density and low cost. These batteries are designed to provide a steady and reliable source of power, even in the event of power outage or other disruption in the electrical grid. It can withstand deep discharge cycles, which means they can be fully discharged and recharged repeatedly without suffering damage or losing capacity, making them ideal for use in offgrid or backup power systems.



AMAZE



Below 150 Ah

Powerful Performance



Manufactured with microporous ceramic disc-fitted float indicators, these Amaze batteries come with a fast charging feature.

They are ultimately safe for the environment and a perfect fit for power grids where there are frequent power cuts.



Tubular Technology



Fast Charging



Low Maintenance




Suitable For Frequent Power Cuts

842ST

100Ah
24+18* Months Warranty

150 Ah

For Life-long Commitments



These Amaze batteries are resistant to high oxidation levels and are tested for different possible scenarios.

It can outlast extreme conditions as the plates are made with 99.99% pure lead and lead alloy, ensuring best-in-class electrical performance and a long lifespan.



Tubular Technology



Low Water Top Up Frequency



Long Life



Made With VPPM Technology

2042TT

150 Ah
24+18* Months Warranty

2048TT

150 Ah
24+24* Months Warranty

2060TT

150 Ah
36+24* Months Warranty

2160TT

150 Ah
36+24* Months Warranty

2042STJ

150 Ah
24+18* Months Warranty

2060STJ

150 Ah
36+24* Months Warranty

Above 150 Ah

Heavy Duty Batteries for Long Back-ups



These robust batteries from the House of Amaze are made for heavy-duty scenarios where there is a power requirement for long hours.

These batteries come in a leak and spill-proof design, and the container is sealed with high pressure heat. Experience the best-in class electrical performance with Amaze Batteries.



Tubular Technology



Rugged Container



Fast Charging



Low Maintenance

Model	Capacity (Ah)	Warranty (Months)
2260TT	160 Ah	30+30* Months Warranty
4060TT	180 Ah	36+24* Months Warranty
5036TT	200 Ah	18+18* Months Warranty
5048TT	200 Ah	24+24* Months Warranty
5060TT	200 Ah	36+24* Months Warranty
5260TT	220 Ah	36+24* Months Warranty
5266TT	220 Ah	42+24* Months Warranty
5460TT	250 Ah	36+24* Months Warranty

*Conditions apply.

AMAZE

THE WINNING COMBINATION





Accessory

AMAZE

Trolley

New Age Design & Durability



Amaze trolley is an elegantly designed product, which is sturdy as a rock and yet pleasing to eyes. It surely is the best accessory for your Amaze inverter and battery set.



Shock Proof



No Dangling Wire



Easy To Assemble



Superior Quality

AM100L

For 1 tall tubular battery

AM200L

For 2 tall tubular batteries

Inverter technical specification						
	Model Name	VA Capacity	DC Volt	Maximum Bulb Load	Input Voltage Range	Maximum Charging Current
AQ SERIES	AQ700+	600 VA	12V	504W	100V-290V	13A
	AQ900+	800 VA	12V	672W	100V-290V	14A
	AQ1075+	900 VA	12V	756W	100V-290V	17A
	AQ1275 PRO	1100 VA	12V	924W	85V-290V	17A
	AQ1675+	1500 VA	24V	1260W	100V-290V	17A
	AQ2375+	2000 VA	24V	1680W	90V-290V	20A
AQ SUPER CHARGE	AQ Super Charge 1175	900 VA	12V	756W	90V-290V	16A
	AQ Super Charge 1475	1100 VA	12V	924W	90V-290V	20A
	AQ Super Charge 1775	1500 VA	12V	1260W	90V-290V	27A
AN SERIES	AN875+	700 VA	12V	560W	85V-290V	14A
	AN1075+	900 VA	12V	756W	85V-290V	17A
	AN1275 PRO	1100 VA	12V	924W	85V-290V	17A
	AN1575+	1400 VA	12V	1176W	85V-290V	17A
	AN1675+	1500 VA	24V	1260W	85V-290V	17A
	AN2275 PLUS	2000 VA	24V	1680W	90V-290V	20A
AN STAR	AN STAR 1475	1100 VA	12V	924W	85V-285V	18A
	AN STAR 2375	2000 VA	24V	1600W	85V-290V	21A
	AN STAR 2875	2500 VA	24V	2000W	85V-290V	21A
	AN STAR 3575	3000 VA	24V	2400W	85V-290V	21A
	AN STAR3875	3500 VA	36V	2800W	85V-290V	21A
	AN STAR 4575	4000 VA	48V	2850W	140V - 280V	21A
	AN STAR 6075	5000 VA	48V	4000W	140V - 280V	21A
	AN STAR 6575	5500 VA	72V	3800W	140V - 280V	21A
	AN STAR 8075	7500 VA	96V	6000W	140V - 280V	21A
	AN STAR 11075	10000 VA	120V	8000W	140V - 280V	21A
HKVA SERIES	AN5075+	4000 VA	48V	2850W	140V-280V	21A
	AN6075+	5500 VA	72V	3800W	140V-280V	21A
	AN9075+	7500 VA	120V	6000W	140V-280V	21A
	AN11075+	10000 VA	180V	8000W	140V-280V	21A

Battery technical specification						
	Model Name	Ah	Warranty In Months	Dimension (in mm) LxWXH	Weight (in kg.)	
					Dry	Filled
BELOW 150 Ah	842ST	100	42*	505x220x308	19.5	40
150 Ah	2042TT	150	42*	502x191x440	27	54
	2060TT	150	60*	502x191x440	27.5	55
	2160TT	150	60*	502x191x388	27.5	49.5
	2042STJ	150	42*	518x272x288	26.5	50.5
	2060STJ	150	48*	518x272x288	26.5	50.5
	2048TT	150	48*	502x191x440	27	54
ABOVE 150 Ah	2260TT	160	60*	502x191x440	27	54
	4060TT	180	60*	502x191x440	33.5	59.5
	5036TT	200	36*	502x191x440	31	58
	5048TT	200	48*	502x191x440	36.5	63.5
	5060TT	200	60*	502x191x440	36.5	63.5
	5260TT	220	60*	502x191x440	38	62
	5266TT	220	66*	502x191x440	38	62
	5460TT	250	60*	502x191x440	46.5	70.5
TURBO CHARGE	TC13548ST		48*	505x220x284	19.5	39
	TC15048ST		48*	505x220x284	26.5	43.5
	TC10036ST		36*	50.5x22.0x30.8	16	36

*Conditions apply.

3 Phase Inverter technical specification

	Model Name	Rating	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) in CM	Protection
AN HKVA 3P	AN HKVA 10.5	10.5 KVA	Adjustable	130 kg	700X300X750	Input Under and Over voltage, Input High and Low Frequency Output Over load, Output short circuit, Output over and Under voltage, Over Temperature, Battery Over and Under voltage
	AN HKVA 15	15 KVA	Adjustable	140 kg	770X400X810	
	AN HKVA 20	20 KVA	Adjustable	180 kg	900X400X810	
	AN HKVA 25	25 KVA	Adjustable	180 kg	900X400X810	
	AN HKVA 30	30 KVA	Adjustable	260 kg	923X535 X1090	
	AN HKVA 40	40 KVA	Adjustable	260 kg	923X535 X1090	
	AN HKVA 50	50 KVA	Adjustable	260 kg	923X535 X1090	
	AN HKVA 60	60 KVA	Adjustable	650 kg	731X888X1465	
	AN HKVA 80	80 KVA	Adjustable	650 kg	731X888X1465	
	AN HKVA 105	105 KVA	Adjustable	800 kg	1150X1150X1940	
	AN HKVA 120	120 KVA	Adjustable	800 kg	1150X1150X1940	
	AN HKVA 150	150 KVA	Adjustable	800 kg	1150X1150X1940	
	AN HKVA 200	200 KVA	Adjustable	1200 kg	1260X1104X1850	
AN HKVA 250	250 KVA	Adjustable	1200 kg	1260X1104X1850		

3 Phase Inverter technical specification

	Model Name	Rating	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) in CM	Protection
ELEVERTER	Eleverter 5	6.6KVA	Adjustable	62 kg	630X285X590	Input Under and Over voltage, Input High and Low Frequency Output Over load, Output short circuit, Output over and Under voltage, Over Temperature, Battery Over and Under voltage
	Eleverter 5.5	6.6KVA	Adjustable	62 kg	630X285X590	
	Eleverter 8	10.1KVA	Adjustable	120 kg	710X300X790	
	Eleverter 12	13.1 KVA	Adjustable	120 kg	710X300X790	
	Eleverter 15	17.5 KVA	Adjustable	134 kg	770X400X880	
	Eleverter 20	26 KVA	Adjustable	150 kg	770X400X880	
	Eleverter 30	35 KVA	Adjustable	295 kg	925X535X1190	

